













Option	s for Accessin	g Clinical Reconciliati	ion	
3. Fror Recond	n the Medicatic ciliation"	on Reconciliation templa	te, select "El	ectronic
	E Medication Review			×
	How to conduct a medication review: 🔞		Panel Control: 🕤 Togg	le 💿 🕈 Cycle 🖌
	Reconciliation Type			
	Manual reconciliation: 🗌 Manual medicatio	on reconciliation completed El	lectronic reconciliation:	Reconciliation
	Medication Module			
	Double click grid to add/edit Medication Modu	le.		
	Medication Name	Sig Desc	Last Refilled	
	Betimol 0.5 % eye drops	instill 1 drop by ophthalmic route 2 times every day into affected eye(s)	09/18/2017	
	Celebrex 100 mg capsule	take 1 capsule by oral route 2 times every day	09/18/2017	
	Ciloxan 0.3 % eye drops	instill 1 drop by ophthalmic route every 2 hours for 2 days into affected eye awake then 1 drop every 4 hrs while awake for 5 days	(s) while 09/18/2017	
	hydrocodone 5 mg-acetaminophen 163 mg/7.5 mL (7.5 mL) oral solution	take 15 milliliter by oral route every 4 hours as needed	11	-1
	I hydrocodone 7.5 mg.acetaminonhen 325	take 1 tablet hv oral route, evenv 6 hours as needed for nain	06/05/2017	-
© 2018. All Rights Reserved Confidential. Do not duplicate.		Specialty Specific Content. Top Ranked Service. Award Winning Sof Powered by People	ftware.	800.354.4205 info@tsihealthcare.com tsihealthcare.com

Pro	• 1	om wi lems Note: w	ithin the specil Module, etc.) hen accessing clinic	fic module (i.	e. Mec	lication	ns Moo	dule,	
	I	be allow	ved to reconcile the	information speci	ific to tha	t module	j	, ,	
Med	dicatio	NextGen	Grid Preferences Medicat	ions Reconciled 78 year Old Male	e Weighing 165.0	DO Ib 74.84 K	g [vitals recorde	d on 8/3/2016] No Rx eligibility	♪ / status
101 - 101 ber		Chables	and the state of t	Generic Name	Original Start	Start Date	Stop Date	Sig	Las_
F	PDR	Julius	Medication Name	ourient runne			1 and address second		1/100000 577
F Stat	PDR atus: A	active (12 items)	Medication Name		and an inclusion	is the factor			
F Stat	PDR Itus: A	Active	Tylenol 325 mg tablet		11/15/2017	11/15/2017		take 2 tablet by oral route every 6 h.	Prin
F Stat	PDR atus: A V	Active Active	Medication Name Tylenol 325 mg tablet HYDROcodone 5 mg-acetaminophen		11/15/2017 10/16/2017 10/02/2017	11/15/2017 10/16/2017		take 2 tablet by oral route every 6 h. take 15 milliter by oral route every .	Prin
F Stat	PDR atus: A	Active Active Active Active Active	Medication Name Tylenol 325 mg tablet HYDROcodone 5 mg-acetaminophen Vigamox 0.5 % eye drops Tylenol 325 mg tablet	ACETAMINOPHEN HYDROCODONE/ACETAMINOPHEN MOXIFLOXACIN HCL ACETAMINOPHEN	11/15/2017 10/16/2017 10/03/2017 10/03/2017	11/15/2017 10/16/2017 10/03/2017 10/03/2017		take 2 tablet by oral route every 6 h. take 15 milliter by oral route every . instill 1 drop by ophthalmic route 3 ti	Prin
F Stat	PDR atus: A S S S S S S S	Active Active Active Active Active Active	Medication Name Tylenol 325 mg tablet HYDROcodone 5 mg-acetaminophen Vigamox 0.5 % eye drops Tylenol 325 mg tablet Ciloxan 0.3 % eye drops	ACETAMINOPHEN HYDROCODONE/ACETAMINOPHEN MOXIFLOXACIN HCL ACETAMINOPHEN CIPROFE OXACIN HCL	11/15/2017 10/16/2017 10/03/2017 10/03/2017 07/27/2016	11/15/2017 10/16/2017 10/03/2017 10/03/2017 09/18/2017		take 2 tablet by oral route every 6 h. take 15 milliter by oral route every . instil 1 drop by ophthalmic route 3 ti. take 2 tabs p.o. t.i.d. pr.n.	Prin
F Stat	PDR atus: A U U U U U U U	Active (12 items) Active Active Active Active Active Active Active Active	Vedication Name Tylenol 325 mg tablet HYDROcodone 5 mg-acetaminophen Vigamox 0.5 % eye drops Tylenol 325 mg tablet Ciloxan 0.3 % eye drops CeleBREX 100 mg canaile	ACETAMINOPHEN HYDROCODONE/ACETAMINOPHEN MOXIFLOXACIN HCL ACETAMINOPHEN CIPROFLOXACIN HCL CIPROFLOXACIN HCL CEIFCOXIB	11/15/2017 10/16/2017 10/03/2017 10/03/2017 07/27/2016 08/22/2016	11/15/2017 10/16/2017 10/03/2017 10/03/2017 09/18/2017 09/18/2017		take 2 tablet by oral route every 6 h take 15 milliter by oral route every . instill 1 drop by ophthalmic route 3 ti take 2 tabs p.o. t.i.d. p.r.n. instill 1 drop by ophthalmic route ev take 1 cansule hv oral route 2 times.	Prin
F Stat	PDR Itus: A V V V V V V V V V V V V V V V V V V V	Active (12 items) Active	Vedication Name Tylenol 325 mg tablet HYDROcodone 5 mg-acetaminophen Vigamox 0.5 % eye drops Tylenol 325 mg tablet Coloxan 0.3 % eye drops CeleBREX 100 mg capsule Betimol 0.5 % eye drops	ACETAMINOPHEN HYDROCODONE/ACETAMINOPHEN MOXIFLOXACIN HCL ACETAMINOPHEN CIPROFLOXACIN HCL CELECOXIB TIMOLOL	11/15/2017 10/16/2017 10/03/2017 10/03/2017 07/27/2016 08/22/2016 07/27/2016	11/15/2017 10/16/2017 10/03/2017 10/03/2017 09/18/2017 09/18/2017 09/18/2017		take 2 tablet by oral route every 6 h take 15 milliter by oral route every . instill 1 drop by ophthalmic route 3 ti take 2 tabs p.o. t.i.d. p.r.n. instill 1 drop by ophthalmic route ev take 1 capsule by oral route 2 times . instill 1 drop by ophthalmic route 2 times .	Prin



Clinical Reconcilia	tion Module
Clinical Reconciliation Documents Data Share Data Share Continuity of Care Document (C-CDA) (Date Ra Continuity of Care Document (C-CDA) (Date Ra	Custom View Full View Import Reconciliation History Custom View Full View Import Reconciliation History Diagnosis Codes & Procedures I Immunizations TV Vital Signs PamilyHistory Soci ()
	EHR Import Action Match Allergy Name Reaction (Severity) Intolerance Status : Unresolved (2 items) - Status : Lincresolved (2 items) - Status : Lincresolved (2 items) - Status : Lincresolved (2 items) Keep CELECOVID Acute abdominal pain Import Keep METHAZOLAMIDE Aggressive behavior Presclin V
	Reconciliation Summary
	Allergy Name Causative Agent Reaction (Severity) Intolerance Identified Resolved Last Modified Status 🔺
	Add now item Particillin V Partic
	Unchanged - no action performed
¥	CELECOXIB CELEBREX Acute abdominal pain 🗆 01/12/2018 Unresolved Organization Nan
Transition of Care - Referral (Sent)	
Transition of Care - Referral	Match Unmatch Confirm Cancel Close
Initialization registry	
© 2018. All Rights Reserved	Specialty Specific Content. Top Ranked Service. Award Winning Software. 800.354.4205 Drumered hu Penole info@tsikealthcare.com



tri

info@tsil

General Workflow - 1. Select the CCD to Reconcile • From the documents panel you are able to select the specific document you would like to reconcile 隊 Continuity of Care Document (C-CDA) (Date Ra 🐝 Continuity of Care Document (C-CDA) (Date Ra • The Documents panel will be grouped by external system such as: • Transition of Care – Referral • Direct Messages sent from another provider • DataShare: Documents requested via the Carequality NRLS service • A new Add-On that will be available later in 2018 • Immunization Registry: For practices that are • connected to their state immunization registry Transition of Care - Referral (Sent) Transition of Care - Refe



General Workflow - 2. Navigate to the Import tab

<text><text><complex-block><complex-block>

General Workflow - 2. Navigate to the Import tab • The clinical reconciliation Import Reconciliation History Medication Allergies 💿 Vital Signs [🐤 FamilyHist module allows you to view: • Items that were EHR included on the Action Match Allergy imported CCD Reconciliation Summary Confirm ard Winning Soft tri



General Workflow – 3. Start with meds and work to the right

- Start from the left and work your way to the right across the screen
 At a minimum
 - Medications, Medication Allergies, Problems or Diagnosis Codes
- Review and update the actions in the import section, EHR section, and then unmatch/match items as necessary
- Confirm the actions to save the actions

	Location: User Name:	William Benso Main Office zTSI Henderso	n, MD m, Allie			Patient M Date of I Gender:	Vame: Birth:	Ponce, Pegg 1/12/1991 Female				
			EHR						Import	8-		
	Action	Match Allergy N	ame Reaction (Se	verity) Int	tolerance I		Action	Match Alle	rgy Name	Reaction (Severity)	Intolerance	Ide
	- Status : Unresolve	ed (2 items)				🖬 Statu	s : Active (1 it	tem)				
	Keep	CELECOX	B Acute abdor	ninal pain		• • • •	Add	Pen	cillin V			06/4
	•		1	Rec	onciliatio	1 n Sun	nmary					
10 B	Allergy Name	Causative Agen	t Reaction (Severity)	Rec	onciliatio	n Sun	nmary Resolved	Last Modifi	ed Statu	5	Source	
	Allergy Name	Causative Agen	t Reaction (Severity)	Rec	onciliatio	on Sun	nmary Resolved	Last Modifi	ed Statu	5	Source	
	Allergy Name Add new item Penicillin V	Causative Agen	t Reaction (Severity)	Rec Intolerance	onciliatio	n Sum	n mary Resolved	Last Modifi 01/25/2018	ed Statu Active	s Name: Rosett	Source ta Interface;	
	Allergy Name Add new item Penicillin V Unchanged - n	Causative Agen	t Reaction (Severity)	Rec Intolerance	onciliatio	on Sum	n mary Resolved	Last Modifi 01/25/2018	ed Statu Active	s Name: Rosett	Source ta Interface;	
	Allergy Name Add new item Penicillin V Unchanged - n CELECOXIB	Causative Agen	t Reaction (Severity)	Rec Intolerance	onciliatic Identifia 06/02/201	ed	nmary Resolved	Last Modifi 01/25/2018 01/12/2018	ed Statu Active Unresol	s Name: Rosett ved Organization	Source ta Interface; Name: NextG	en F
	Allergy Name Add new item Penicillin V Unchanged - n CELECOXIB K	Causative Agen o action perform CELEBREX	t Reaction (Severity) ed Acute abdominal pai	Rec Intolerance	onciliatic Identifi 06/02/201	r Sun	nmary Resolved	Last Modifi 01/25/2018 01/12/2018	ed Statu Active Unresol	s Name: Rosett	Source ta Interface; Name: NextG	en ŀ
H T	Allergy Name Add new item Penicillin V Unchanged - n CELECOXIB	Causative Agen o action perform CELEBREX	t Reaction (Severity) ed Acute abdominal pai	Rec Intolerance	onciliatio	ed 7	nmary Resolved	Last Modifi 01/25/2018 01/12/2018	ed Statu Active Unresol	s Name: Rosett	Source ta Interface; Name: NextG	en F

General Workflow 4. Review and update actions from import



General Workflow - 5. Review and update actions from EHR

The clinical reconciliation module will attempt to make suggested actions

• Keep = leave item as is within EHR

Additional Actions

- **Delete** = remove an item from EHR
- Stop = Stop a particular medication
- Resolve = Resolve a particular allergy or problem

ustom View Full	View Ir	mport Reconciliatio	n History												
Medications	Medica	ation Allergies 👸 P	roblems 👸 Diagnosis	Codes 3	Procedures	, Im	munizati	ons 후 Vita	al Signs	😌 Family	History	/ 📑 Social History	📩 Implanta	ble Devices	
Provider and P	Patient In	nformation													-
Provider Name:	Zac	hary D Jacobs, MD					Patient Na	me:	Ponce,	Peggy					
Location:	Mai	in Office					Date of Bi	rth:	1/12/1	991					
User Name:	zTS	il Henderson, Allie					Gender:		Female						
Action	fatch	Allergy Name	Reaction (Severity)	Intolera	nce Identified			Action	Match	h Alleray	II Name	Reaction (Severity)	Intolerance	Identified	Re
_		1	:пк	7					-		11	προπ	10 x 1	1-277 - 275 - 276	
Action	fatch	Allergy Name	Reaction (Severity)	Intolera	nce Identified	-		Action	Match	h Allergy	Name	Reaction (Severity)	Intolerance	Identified	Re
Keep		CELECOXIB	Acute abdominal pair			_	- Status	: Active (1 ite	em)	Desiste	14			00/00/2017	1.5.11
Keep	-	METHAZOLAMIDE	Aggressive behavior			1	- O'	vod	•	Penicilin	v	<u> </u>		06/02/2017	Error
Besolve					<u>_</u>		•								•
× Delete					Reconcili	atio	n Sum	mary							
Allergy Name	Cau	isative Agent Read	tion (Severity) Intole	rance	Identified	Re	solved	Last Mod	lified	Status		So	ource		-
Add new item															-
Penicillin V			E	06/0	02/2017			02/02/2010	8 A	vctive	Name	e: Rosetta Interface;			
Unchanged -	no action	n performed													-
		1										1		1	- 1
CONTRACTOR OF A	and and an other states	76										Confirm	Cancel	Close	

2018. All Rights Reserved onfidential. Do not duplicate. Specialty Specific Content. Top Ranked Service. Award Winning Software Powered by People... 800.354.4205 info@tsihealthcare.com

General Workflow – Mat	ching
 Items that have a status of Igno a paperclip beside them to ind Import section 	ore in the Import section may also have icate they match with an item in the
 If an action in the EHR section paperclip beside it, you must riproceed with selecting the app 	needs to be changed for an item with a ight click and Unmatch the item then propriate action
EHR	Import
Action Match Medication Name Direction	ns 🔺 Action Match Medication Name 🛆 Directions
- Status : ACTIVE (2 items)	📰 🚽 🗃 Ignore 🛛 🧭 Advil 200 mg tablet 👘 take 1 tablet by oral route even
Keep 🔗 Advi Match take 1 ta	blet by oral rol v Ignore Pinbrel 25 mg (1 mL) subcutaneous solution inject 1 milliter by subcutaneou
Unmatch	
	Descending the Company of the Compan
Apply Default Sort	Reconciliation Summary
Apply Default Sort	

General Workflow – 6	. Confirm Changes	
 After you have reviewed and updated the actions in a section, click "confirm" 	Success Selected changes saved successfully and all related ac viewed at the history tab.	tions can be
 The document will render and a "success" pop up will appear letting you know the changes have saved successfully, click "ok" 	Action Match Allergy Name Rescion (Severity) Intolerance Identified 3 Staur: Ubersolved Q1tema) Image Name Image Name Image Name 3 Staur: Ubersolved Q1tema) Image Name Image Name Address Active Agent Rescion (Severity) Intolerance Image Name Causative Agent Rescion (Severity) Intolerance Image Name Last Modified 2 Machined Image Name Image Name Match Unresch Image Name	OK Import Reaction Gewriny) Intolerance Identified Re Bed2/2017 Source Inter Inter Rosetta Interface:
© 2018. All Nights Reserved Confidential. Do not duplicate.	pecialty Specific Content. Top Ranked Service. Award Winning Software. Powered by People	800.354.4205 info@tsihealthcare.com tsihealthcare.com tsihealthcare







	C	II SZ To	anort 0											
 If no encounter 	Medications	Medicat	tion Allergie	s 🙀 Prob	ems 🔒 D	iagnosis Code	es 🔮 Proce	dures 🔒 I	nmunization	्र र्रु Vital S	gns 😚 Family	History 🎠 So	cial Histo	v ARD
exists for the vitals signs date a new	Provider and Patient Information Provider Name: Andrew S Needles, ND Location: Family Practice Location User Name: Admin, NEXTGEN Y						Patient Nan Date of Birth Gender:	10: C 1. 9 F	alhoon, Reis /4/1988 emale	10				
encounter will be created	🔔 Please note	The system	n has auto	matically co	werted bets	veen English	and Metric v	alues when	either one is	missing from	the imported o	lata.		
• The system will	Action	Match	Date	Time	BP	Temp C T	emp F Heig	Acti	on M	atch Date	Time	BP Tem	p C Tem	ip F Height
automatically covert the English or Metric	StatusDesc : (2 Keep Keep Keep	items)	08/04/2017 05/22/2017	8:53 F 12:59	M 124/82 PM 125/82	37.00 9 37.00 9	8.60 170 8.60 170	Add	ist : (Litem) Itt	08/04/2	1017 6.13 PH	4 125/83 37.00	98.6	00 170.18
values if any are						Red	onciliati	on Sumn	ary					
missing	Date	Time	BP	Temp C Te	mp F Heigh	t.cm Height	in Weight I	Weight kg	Resp Rate	Pulse Pulse	Dx Head Circ c	m Head Circ in	BMI	BSA *
IIIIssiiig	08/04/2017	6:13 PM	125/83	37.00 98	600 170.1	67.000	157.000	71.214	19	82		1	24.59	1.835
	Unchanged -	no action	performe	d										
	08/04/2017	8:53 PM	124/82	37.00 98	60 170	67.00	157.00	71.214	20	82			24.59	
	03/22/2017	12:33 PW	123/82	57.00 30	00 170	07.00	133.00	110.507	13	02	(a. c.		24.20	-

New 5.9 Features – Family History

- Items included on the CCD can be added via the import section
- Due to coding concerns from a quality reporting standpoint, updates cannot be made to data in the EHR section
 - These items will remain with a status of Keep

Medications	👬 Mec	dicatio	n Allergies	Probi	ems 🙀 Diag	nosis Codes	🔹 Procedu	res i Imm	unization	12 -	Vital Signs	Family	History	Social History	<>
rovider and	Patien	t Infor	rmation										4		
rovider Name:	A	undrew	w S Needles,	, MD			P	Patient Name:		Calhoor	, Reise				
ocation:	F	amily	Practice Lo	cation			C	ate of Birth:	:	0/4/198	18				
Iser Name:	^	dmin,	NEXTGEN	Y			G	Sender:		emale					
			EI	HR							Im	port			
Action	Match	Rela	Family Me	Decea	Age at Death	Condition		Actio	Match	Rela	Family Me	Decea	Age at Deat	th Condition	
tatus : Unkn	wn (3 ite	ems)						Status : com	pleted ((items)	2				
Keep	11110000-0002					Family hist	ory of Ast	🕀 🔾 🕀						Family history of C	JPD
Keep						Family hist	ory of Gla	🕀 🕥 Add						Family history of H	sper
Keep						Family hist	ory of Hy								
-		ाग	li -					e [11					F
						Recor	nciliation	Summar	y						
elationship	Family M	Memb	er Name De	ceased /	Age at Death	Co	ndition	Onset	Age Ca	use of D	leath		Status		
Add new ite	m														=
						Family history	of Hyperter	sion	N		compl	eted			-
						Family history	of COPD		N		compl	eted			
Unchanged	- no act	tion p	erformed												
-					1	Family history	of Asthma		N		Unkno	wn			
	1 mar										<u> </u>	-		1	-
Natch	Unn	satch									0	intim	Lance	ei Ciose	

New 5.9 Features – Social History • Smoking status, social history Custom View Full View Import Reconciliation History 💈 Medications 🎎 Medication Allergies 👸 Problems 👸 Diagnosis Codes 🗶 Procedures 🖉 Immunizations 🕏 Vital Signs 🎊 FamilyHistory 🗟 Social History observation, and tobacco use Provider and Patient Information Provider Name: Andrew S Needles, MD Patient Name Calhoon, Reise status can be reconciled if Family Practice Location Location: Date of Birth 9/4/1988 User Name: Admin, NEXTGEN Y Gender Female details are entered • Ex. The type of alcohol or amount of intake must EHR Import be entered Match Social History Started Last <u>*</u> Action Stopped Last Mod Action Stopped Match Social History Started F E lved (5 items) Status : Unre • The import section will Кеер Кеер Кеер Alcoho Caffeine always have a default status Alcohol + of ignore so that the most **Reconciliation Summary** recent value does not get Last Modified Usage Info Description Social History Started Stopped State Source overwritten accidently Unresolved Organization Name: NextGen Healthcare; Alcohol • A warning pop-up will Caffeine Unresolved Organization Name: NextGen Healthcare; Alcohol Unresolved Organization Name: NextGen Healthcare, appear that you must Caffeine Unresolved Organization Name: NextGen Healthcare; acknowledge Match Unmatch Confirm Cancel Close Specialty Specific Content. Top Ranked Service. Award Winning Software Powered by People... tri info@tsil

New 5.9 Features – Implantable Devices

- Procedures must be reconciled before implantable devices or else the device will not appear in the Import section
- The device will default to "add" if it is new or it will appear as matched based on the Universal Device Identifier (UDI)
 - If the UDI was not included on the incoming CCD it must be manually matched

Problems	Diagnosis	Codes 🔮 Pro	cedures Timmuni	zations 👳 Vi	tal Signs	😚 FamilyHistory 📑 S	locial His	tory 👗 Implant	able Devices		٢.>
Provider and P	Patient In	nformation									
Provider Name:	And	trew S Needles,	MD			Patient Name:	Calhoon	, Reise			
Location:	Far	nily Practice Loo	ation			Date of Birth:	9/4/198	18			
User Name:	Adı	nin, NEXTGEN 1	r			Gender:	Female				
Please note:	Not all of	this data comes	from the CCDA, som	e of it comes t	rom the Gi	lobal Unique Device Id	entificatio	in Database (GUI	DID).		
		Eł	HR					Impor	t		
Action	Match	Date Implanted	Linked Procedure	Description	Brand Na	Action	Match	Date Implanted	Linked Procedure	Description	Brand
StatusDesc : (2	items)					🗮 StatusDesc : (Liter	n)	- contained in			
Keep		08/04/2017	No	Uni Tibial Insei	Uni Tibial I	Add		08/07/2017	Yes	Trach Tube L	Sunme
Кеер		05/22/2017	No	B-P Hip Acet	B-P Total H						
1						(m					
1				Baca	n el l'att	an Europani					
	10.12			Reco	ircinaci	on summary					
Date Implanted	Linke	d Procedure			De	scription			Brand	Name	Model
Add new iten	Vec	1	rack Tube House field	Cr 2 50000					Summad		1.1
Unchanned	no actio	n nadamad	rach tube on-curreu	52 3.3mm					Sureneu		-0
00/04/3017	no actio	n periormeu	ai Thial Insert 1.14						Uni Tibial Inco		1.1
00/04/201/	140		in rula interc 1714		1				On Tibla Inde		+ -

Clinical Reconciliation – Permissions

- If you would like to modify which users have access to the clinical reconciliation module this can be updated via NextGen System Administrator → Rights → Modules → Discrete Data Import
- The document subcategory controls the users access to the clinical reconciliation module as a whole
- The other subcategories control their associated sections

tri

